


*Weekly*  
**MORBIDITY REPORT**

SHORE STATIONS IN CONTINENTAL UNITED STATES




NAVMED 104

WEEK ENDING 24 May 1947

REPORT NO. 282

ARMY  
MEDICAL  
JUL 21 1947  
LIBRARY

# ADMISSION RATES FOR ALL CAUSES AND INCIDENCE RATES FOR RESPIRATORY DISEASES CONTINENTAL LIMITS OF THE UNITED STATES



Source of the 1946 trend is the Monthly Morbidity Report, Novmber 582; source of the 1947 trend is the Weekly Morbidity Report, Novmber 172.



This report presents (1) rates and frequencies of admissions for all causes and (2) incidence of selected communicable diseases in the continental naval stations and Marine Corps activities. All admissions and incidence rates are computed as annual rates per 1,000 reported average strength.

For individual stations the reports are presented as numbers of cases, rather than rates, to facilitate evaluation of reports from small stations. The average strength of each individual station is furnished so that rates may be calculated where desired.

The admission rate, total for all causes, is calculated from the total number of A's (New Admissions) and RA's (Readmissions), which comprise the number of individuals taken up on the sick list from a duty status. It should be noted that these rates are computed on an annual basis, and indicate the number of admissions per 1,000 average strength which would occur over a year's time if the current week's experience continued for a year. The formula for computation is as follows:

$$\frac{\text{Number of Admissions (A\&RA) During Week X 52}}{\text{Average Strength for Week}} \times 1,000$$

The incidence rate measures the number of new cases of a specific diagnosis or group of diagnoses occurring within the strength during a particular period. This rate is computed from the total of A (New Admissions), ACD (Admitted Contributory Disability), AD (Additional Diagnosis) and EC (Diagnosis Established or Corrected). The computation of rates for incidence follows the formula set up for admission rates by inserting incidence in place of admissions.

Since patients may be transferred to naval hospitals before a diagnosis is established, the category DU (Diagnosis Undetermined) is now included in this report. Some of the cases reported under Diagnosis Undetermined will ultimately be established and reported under one of the specific diagnoses included in this publication. Therefore, comparison of the incidence of DU's in a group of stations with the incidence of a specific diagnosis as reported by the hospitals serving those stations, will provide a rough indication of the diagnosis to which the DU's are eventually assigned. To facilitate such comparisons, hospitals are listed separately under the stations of each Naval District and included in the totals for the district.

Caution should be exercised in the interpretation of these data compared to those published prior to 23 November 1946 in the Weekly Morbidity Report. Previously, the rates were derived from A's (New Admissions) only. Present reporting provides a more complete picture of morbidity in the continental activities of the Navy and Marine Corps.



## WEEKLY MORBIDITY REPORT

ADMISSION RATES - ALL CAUSES AND  
BY CONTINENTAL(Admission Rates Include (A) New Admissions and  
Both Rates are Computed on an

NAVAL DISTRICT	ALL CAUSES	RESPIRATORY DISEASES					
		TOTAL	Cat. Fever, Acute	Influenza	PNEUMONIA		TONSIL- LITIS & PHARYN- GITIS AC.
					Broncho & Lobar	Atypical Acute	
TOTAL ALL NAVAL DISTRICTS	461.1	79.8	42.0	1.6	0.6	1.0	34.8
1st Naval District	456.6	41.8	20.9	0	0	0	20.9
3rd Naval District	747.7	44.0	44.0	0	0	0	0
4th Naval District	377.0	97.5	71.5	0	0	0	26.0
Potomac and Severn	320.7	46.7	26.5	0	0	0	20.2
5th Naval District	401.0	76.7	28.9	7.5	1.2	0	39.0
6th Naval District	1121.2	204.6	139.1	0	0	8.2	57.3
7th Naval District	381.9	72.2	34.4	0	0	6.9	31.0
8th Naval District	491.2	92.2	58.3	0	0	1.9	32.0
9th Naval District	639.8	165.3	42.9	0	0	0	122.5
11th Naval District	473.4	88.2	52.2	0.9	0	0.9	34.2
12th Naval District	438.0	50.6	23.4	0	1.9	0	25.3
13th Naval District	328.9	68.2	48.1	4.0	4.0	0	12.0

ADMISSION RATES - ALL CAUSES AND  
FOR INDIVIDUAL CONTINENTAL STATIONS WITH

ALL CAUSES	
STATION	RATE
NavRe-TrainComd, Mare Island, Cal.	2041.9
PhibTraBase, Little Creek, Va.	1252.6
MarBaks, Parris Island, S. C.	943.6
NAS, Pensacola, Fla.	918.4
NavRecSta, Boston, Mass.	895.9

RESPIRATORY DISEASES	
STATION	RATE
MarBaks, Parris Island, S. C.	246.8
NATechTraCen, Corpus Christi, Tex.	225.0
NavSta, Tacoma, Wash.	212.0
NavTraCen, San Diego, Cal.	205.3
NavTraCen, Great Lakes, Ill.	200.7

PNEUMONIAS, COMBINED	
STATION	RATE
NTSch, Del Monte, Cal.	78.0
NATechTraCen, Jacksonville, Fla.	19.7
NavTraCen, Bainbridge, Md.	17.2
NAS, Jacksonville, Fla.	11.3
NavTraCen, San Diego, Cal.	6.8

GASTRO-ENTERITIS, ACUTE	
STATION	RATE
NAS, Santa Ana, Cal.	83.6
NTSch, Del Monte, Cal.	78.0
NAS, Banana River, Fla.	67.6
NAS, Squantum, Mass.	62.5
NAS, Atlantic City, N. J.	61.7

## WEEKLY MORBIDITY REPORT

INCIDENCE RATES BY SELECTED DIAGNOSES:  
NAVAL DISTRICT

(RA) Re-admissions. Incidence Rates Include A, ACD, AD and EC.)

Annual Basis per 1000 strength

SEPTIC SORE THROAT	SCARLET FEVER	RHEUMATIC FEVER	MEASLES	POLIO	CEREBRO- SPINAL FEVER MENINGO- COCCIC	GASTRO- ENTER- ITIS	DIAGNOSIS UNDETER- MINED	NAVAL DISTRICT
0.2	0.8	1.4	1.4	0	0	6.4	73.6	TOTAL ALL NAVAL DISTRICTS
0	0	3.5	0	0	0	7.0	80.2	1st Naval District
5.5	0	0	5.5	0	0	0	142.9	3rd Naval District
0	0	0	0	0	0	26.0	78.0	4th Naval District
0	0	1.6	0	0	0	6.2	118.3	Potomac and Severn
0	1.2	0	2.5	0	0	0	88.0	5th Naval District
0	0	0	0	0	0	0	81.8	6th Naval District
0	0	0	0	0	0	13.8	31.0	7th Naval District
0	0	0	1.9	0	0	7.5	79.0	8th Naval District
0	6.1	6.1	3.1	0	0	3.1	52.0	9th Naval District
0	0.9	0.9	0	0	0	10.4	59.8	11th Naval District
0	0	3.9	3.9	0	0	5.8	46.7	12th Naval District
0	0	0	0	0	0	0	28.1	13th Naval District

## INCIDENCE RATES BY SELECTED DIAGNOSES

AVERAGE STRENGTH OVER 500 WITH HIGHEST RATES

CATARRHAL FEVER	
STATION	RATE
NavSta, Tacoma, Wash.	212.0
MarBaks, Parris Island, S. C.	203.2
NAS, Brooklyn, N. Y.	181.8
NATechTraCen, Corpus Christi, Tex.	176.8
USMCBase, San Diego, Cal.	138.7

TONSILLITIS AND PHARYNGITIS, ACUTE	
STATION	RATE
NAS, Ottumwa, Iowa	178.3
NAMissileTestSta, Point Mugu, Cal.	142.5
USMCAirSta, Cherry Point, N. C.	141.4
NAS, Glenview, Ill.	123.8
NavSta, Annapolis, Md.	101.9

DIAGNOSIS UNDETERMINED	
STATION	- RATE
NAS, Willow Grove, Pa.	302.9
NavRecSta, Phila	291.6
NATechTraCen, Corpus Christi, Tex.	176.8
NT&DC, Port Hueneme, Cal.	176.4
NavTraCen, Bainbridge, Md.	172.3



## WEEKLY MORBIDITY REPORT

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;  
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

NAVAL DISTRICT AND STATION	STRENGTH	ALL CAUSES	RESPIRATORY DISEASES										Polio	Measles	Rheumatic Fever	Scarlet Fever	Throat Sore	Septic Toxemia	Cerebrospinal Fever	Meningococci	Gastro- enteritis	Acute	Undetermined
			Total	Cat. Fever	Influenza	PNEUMONIA		Broncho Lobar	Atyp. Acute	Toxigenic Pneumonia	Septic Toxemia	Scarlet Fever	Throat Sore	Septic Toxemia	Rheumatic Fever	Scarlet Fever	Throat Sore	Septic Toxemia	Cerebrospinal Fever	Meningococci	Gastro- enteritis	Acute	Undetermined
TOTAL FIRST NAVAL DISTRICT	14,918	131	12	6	-	-	-	-	-	-	6	-	-	-	1	-	-	-	-	-	2	23	
STATIONS OVER 500 STRENGTH	11,482	114	10	6	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	20	
NavRecSta, Boston, Mass.	1,451	25	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
NavShipyd, Boston, Mass.	682	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAS, Squantum, Mass.	832	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	
NavDisctBk, Portsmouth, N. H.	1,928	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAAS, Charlestown, R. I.	850	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
NavTreSta, Newport, R. I.	1,992	13	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
NAS, Quonset Point, R. I.	3,747	35	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
STATIONS UNDER 500 STRENGTH	1,414	11	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	9	
HOSPITALS	2,022	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	
NavHosp, Chelsea, Mass. #	1,112	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
NavHosp, Portsmouth, N. H.	253	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavHosp, Newport, R. I.	657	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
TOTAL THIRD NAVAL DISTRICT	9,456	136	8	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26	
STATIONS OVER 500 STRENGTH	6,868	47	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Subase, New London, Conn.	2,463	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAS, Brooklyn, N. Y.	572	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavRecSta, Brooklyn, N. Y.	1,777	24	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavShipyd, Brooklyn, N. Y.	1,107	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
DistHdqr, NYK	949	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
STATIONS UNDER 500 STRENGTH	1,059	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HOSPITALS	1,531	82	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25	
NavHosp, Brooklyn, N. Y.	679	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavHosp, St. Albans, N. Y.	852	81	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25	



NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;  
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA: Selected Diagnoses - A, ACD, AD and EC.)

[illegible]



NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;

BY CONTINENTAL NAVAL DISTRICT AND STATION

(All causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

[illegible]



## WEEKLY MORBIDITY REPORT

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

NAVAL DISTRICT AND STATION	STRENGTH	ALL CAUSES	RESPIRATORY DISEASES										Scarlet Fever	Rheumatic Fever	Measles	Polio	Cerebrospinal Fever	Gastro- enteritis acute	Diagnosis undetermined
			Total	Cat. Fever	Acute	Influenza	PNEUMONIA		Septic Throat	Tonsil- litis & Pharyn- gitis Ac.	Sore	Scarlet Fever							
							Broncho & Lobar	Atyp. Acute											
6th N. D. (Cont'd)																			
STATIONS UNDER 500 STRENGTH	1,360	14	6	3	-	-	-	-	-	-	3	-	-	-	-	-	-	1	
HOSPITALS	1,273	54	6	-	-	-	-	1	-	-	5	-	-	-	-	-	-	2	
NavHosp, Dublin, Ga. #	581	1	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	
NavHosp, Charleston, S. C.	452	53	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
NavHosp, Parris Island, S. C.	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL SEVENTH NAVAL DISTRICT	15,113	111	21	10	-	-	-	2	-	-	9	-	-	-	-	-	4	9	
STATIONS OVER 500 STRENGTH	13,588	105	21	10	-	-	-	2	-	-	9	-	-	-	-	-	4	9	
NAS, Banana River, Fla.	1,539	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
NAS, Cecil Field, Fla.	1,096	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	7	
NAS, Jacksonville, Fla.	4,604	31	8	1	-	-	-	1	-	-	6	-	-	-	-	-	1	2	
NATechTraCen, Jacksonville, Fla.	2,640	22	3	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
NAS, Key West, Fla.	1,521	16	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
SubBase, Key West, Fla.	1,492	6	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
NAS, Miami, Fla.	696	8	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
STATIONS UNDER 500 STRENGTH	708	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HOSPITALS	817	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavHosp, Jacksonville, Fla.	580	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NavHosp, Key West, Fla.	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL EIGHTH NAVAL DISTRICT	27,629	261	49	31	-	-	-	1	-	-	17	-	-	-	1	-	4	42	
STATIONS OVER 500 STRENGTH	23,424	195	33	22	-	-	-	-	-	-	11	-	-	-	-	-	2	35	
NAS, Pensacola, Fla.	1,925	34	6	3	-	-	-	-	-	-	3	-	-	-	-	-	1	4	
NavAirTraBases, Pensacola, Fla.	6,666	33	6	4	-	-	-	-	-	-	2	-	-	-	-	-	-	3	
DistHdqr, New Orleans, La. #	563	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAS, Memphis, Tenn.	715	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NATechTraCen, Memphis, Tenn.	3,801	29	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	7	
NATechTraCen, Corpus Christi, Tex.	3,235	43	14	11	-	-	-	-	-	-	3	-	-	-	-	-	1	11	
NavAirTraBases, Corpus Christi, Tex.	6,519	49	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	10	



NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;  
BY CONTINENTAL NAVAL DISTRICT AND STATION

[illegible]



NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;  
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A- RA; Selected Diagnoses - A, ACD, AD and EC.)

NAVAL DISTRICT AND STATION	STRENGTH	ALL CAUSES	RESPIRATORY DISEASES										Scarlet Fever	Rheumatic Fever	Measles	Polio	Cerebrospinal Fever	Meningococcal	Gastro- enteritis	Acute	Diagnosis Undetermined
			Total	Cat. Fever	Infl. enza	PNEUMONIA		Septic Throat	Tonsil- litis & adenitis	Bronchio- lobar	Atyp. Acute										
						Acute	Chronic														
11th W. D. (Cont'd)																					
NAS, San Diego, Cal.	6,910	67	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
NavFitSonarSch, San Diego, Cal.	968	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
NavSta, San Diego, Cal.	9,529	71	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
NavTreGen, San Diego, Cal.	7,598	116	30	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NAS, Santa Ana, Cal.	622	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAAS, San Ysidro, Cal.	791	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavDiapBaks, Terminal Island, Cal.	1,352	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavRecSta, Terminal Island, Cal.	3,150	31	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
STATIONS UNDER 500 STRENGTH	2,051	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
HOSPITALS	2,511	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
NavHosp, Corona, Cal. #	980	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavHosp, Long Beach, Cal.	595	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NavHosp, Oceanside, Cal.	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NavHosp, San Diego, Cal.	686	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
TOTAL TWELFTH NAVAL DISTRICT	26,710	225	26	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
STATIONS OVER 500 STRENGTH	22,134	194	23	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
NavAlrBases, Alameda, Cal.	4,046	50	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
NavSch, Del Monte, Cal.	667	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavRe-TrainComd, Mare Island, Cal.	764	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavShipyd, Mare Island, Cal.	2,917	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
NAS, Moffett Field, Cal.	2,264	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DistHdqs, SanFran	1,197	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavShipyd, SanFran	1,781	16	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavSta, Treasure Island, Cal.	7,831	65	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
NAS, Denver, Colo.	667	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STATIONS UNDER 500 STRENGTH	2,723	25	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
HOSPITALS	1,853	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
NavHosp, Mare Island, Cal. #	328	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NavHosp, Oakland, Cal.	1,525	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1



## WEEKLY MORBIDITY REPORT

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES  
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

NAVAL DISTRICT AND STATION	STRENGTH	ALL CAUSES	RESPIRATORY DISEASES										Septic Throat	Scarlet Fever	Rheumatic Fever	Measles	Polio	Cerebrospinal Fever	Meningococcal	Gastro- enteritis Acute	Diagnosis Undetermined
			Total	Cat. Fever	Intus Enza	PNEUMONIA		Lungs & Lobar	Bronch & Atyp. Acute	Lungs & Atyp. Acute	Pharyn- gitis Ac.										
TOTAL THIRTEENTH NAVAL DISTRICT	12,963	82	17	12	1	1	1	1	3	1	1	1	1	1	1	1	1	1	7		
STATIONS OVER 500 STRENGTH	11,106	73	13	10	1	1	1	1	2	1	1	1	1	1	1	1	1	1	6		
NavSta, Astoria, Oreg.	2,026	12	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1		
NavShipyd, Bremerton, Wash.	3,375	18	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	2		
NAS, Seattle, Wash.	1,040	15	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	2		
NavSta, Seattle, Wash.	2,458	10	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1		
NavSta, Tacoma, Wash.	736	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NAS, Whidbey Island, Wash.	1,471	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
STATIONS UNDER 500 STRENGTH	1,143	7	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1		
HOSPITALS	714	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
NavHosp, Bremerton, Wash.	714	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		

The symbol # indicates that current data are not available.

# Indicates one week previous.

## Two weeks previous, etc.



WEEKLY MORBIDITY REPORT

REPORT NO. 282  
PAGE 11

INCIDENCE OF RARE COMMUNICABLE DISEASES OF SPECIAL INTEREST

TOTAL JAUNDICE, ACUTE, INFECTIOUS . . . . . 1

NavTraCen, Great Lakes, Ill. . . . . 1

MORBIDITY REPORT

NAVY DISTRICTS IN CONTINENTAL UNITED STATES

NAVY DISTRICTS





# NAVAL DISTRICTS

